

## SAFETY DATA SHEET

### Section 1: IDENTIFICATION

#### FABRISOLV

**Recommended Use:** Solvent based carpet spotter.

**Product Code:** 060588 (3x5L).

**Whiteley Corporation Pty Ltd**

(A.C.N. 000 906 678)

Postal Address: P. O. Box 1076 North Sydney NSW 2059

Telephone Number: (02) 9929 9155 Facsimile: (02) 9929 9077

Web: [www.whiteley.com.au](http://www.whiteley.com.au)

Emergency Telephone Number: Poisons Information Centre (National) 131126

Distributed in New Zealand by:

**Whiteley Corporation NZ Limited**

Address: PO Box 22-519 Otahuhu, Auckland, New Zealand 1640

Telephone Number: 092737313, 0800 257 352

Emergency Telephone Number: New Zealand Poisons Centre 0800 POISON or 0800 764 766

### Section 2: HAZARDS

#### GHS Classification

Flammable liquid (Category 3)  
Aspiration Toxicity (Category 1)  
Skin Irritation (Category 2)  
Eye Damage (Category 1)  
Skin Sensitisation (Category 1B)

**Signal Word**                    **DANGER**

Pictogram



#### Hazard Statements

H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

#### Precautionary Statements

P210	Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
P233	Keep container tightly closed.
P242	Use only non-sparking tools
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapours/mist or spray.
P264	Wash hands thoroughly after using.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated clothing should not be allowed out of the workplace.
P280	Wear protective gloves and eye protection.

#### Response Statements

P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P302 + P352	IF ON SKIN (or hair): Wash with plenty of soap and water.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POSION CENTRE or a doctor.
P331	Do NOT induce vomiting.
P332 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use foam or dry powder for extinction.

Storage Statements

P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

Disposal Statements

P501	Dispose of contents/container in accordance with local regulations.
------	---

### Section 3: COMPOSITION INFORMATION

Ingredient	CAS No	Proportion
Dipentene	138-86-3	30-60%
2-butoxyethanol	123-42-2	10-30%
Nonylphenol, ethoxylated	127087-87-0	<10%
(2-Methoxymethylethoxy) propanol	34590-94-8	<10%
Ingredients deemed not to be hazardous	Not applicable	To 100%

### Section 4: FIRST AID

<b>Eye (Contact)</b>	Hold eyelids apart and flush the eye continuously with running water. If irritation occurs consult a doctor/physician.
<b>Skin (Contact)</b>	Remove contaminated clothing and flush skin and hair with running water. If skin irritation occurs seek medical advice.
<b>Inhalation (Breathing)</b>	Remove victim from exposure to fresh air. If not breathing apply artificial respiration. If breathing is difficult, give oxygen. Seek medical attention.
<b>Ingestion (Swallowing)</b>	DO NOT induce vomiting. Keep at rest. Seek immediate medical attention.
<b>Advice to Doctor</b>	Treat symptomatically for solvent based solution.
<b>First Aid Facilities</b>	Ensure an eye bath and safety shower are available and ready for use.
<b>Additional Information</b>	Skin: There is animal and human evidence of sensitisation by skin contact with oxidised d-limonene. Inhalation: There is limited data on the potential for respiratory irritation or sensitisation.

### Section 5: FIREFIGHTING MEASURE

<b>Suitable Extinguishing Media</b>	Use dry chemical powder, foam, water spray or fog type extinguishers. Try to cover liquid spills with foam. Use water spray to cool exposed containers and to disperse vapours.
-------------------------------------	---

<b>Hazards From Combustion Products</b>	Toxic and/or irritating fumes including carbon monoxide and carbon dioxide may be emitted.
<b>Precautions For Fire Fighters and Special Protective Equipment</b>	Fire fighters should wear self-contained breathing apparatus (SCBA) and complete protective clothing. Vapours are heavier than air and will 'travel' to low-level areas and/or spread fires. Water may be used to cool containers.
<b>Additional Information</b>	<b>Hazchem Code</b> – 3[Y]

### Section 6: ACCIDENTAL RELEASE MEASURES

<b>Emergency Procedure</b>	SAA/SNZ HB76: Dangerous Goods – Initial Emergency Response Guide - 14. Eliminate all sources of ignition. Ventilate area thoroughly and wear a suitable respirator if necessary to minimise inhalation. Wear suitable personal protective equipment such as protective gloves to prevent skin contact.
<b>Spills / Clean up</b>	Eliminate all sources of ignition. Stop leak if safe to do so. For larger spills (greater than 1L) – contain spill by placing inert, non-combustible absorbent material such as vermiculite, sand or dirt onto spill. For small spills (less than 1L) – can be wiped up using clean rags. Collect material using non-sparking tools and place into a suitable container for disposal according to local regulations. Do not flush to drains or sewers. Clean area by working from the periphery to the centre of spill or from the edge of the room to the centre.

### Section 7: HANDLING AND STORAGE

<b>Precautions for Safe Handling</b>	Contact Whiteley Corporation sales representative for advice when using this product for any application other than that outlined on the label or technical bulletin. Any non-intended or non-authorized use of this product may result in personal injury or damage to equipment and goods. Store product in original container. Wash hands and face thoroughly after handling and before work breaks, eating, drinking, smoking and using toilet facilities.
<b>Conditions for Safe Storage</b>	Store as Class 3 Flammable Liquid in accordance with Australian Standard 1940, The storage and handling of flammable and combustible liquids. Store in a cool, dry, well-ventilated area away from sources of ignition. Store away from heat, naked flames or sparks. Keep container tightly sealed and store away from incompatible materials.

### Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

**National Exposure Standards** – Source: National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003] & New Zealand Workplace Exposure Standards 2002.

<u>Ingredient</u>	<u>CAS No</u>	<u>ES-TWA</u>	<u>ES-STEL</u>
2-Butoxyethanol	111-76-2	96.9 mg/m <sup>3</sup>	242 mg/m <sup>3</sup>
(2-Methoxymethylethoxy) propanol	34590-94-8	308 mg/m <sup>3</sup>	-

<b>Biological Limit Values</b>	Not known.
<b>Engineering Controls</b>	Use only with adequate ventilation. When used in confined spaces respiratory protection may be required, see Personal Protective Equipment.

**Personal Protective Equipment**

Eye/face protection – Safety glasses or chemical resistant goggles must be worn to prevent eye contact.

Skin protection – Use suitable protective clothing, such as impervious gloves, apron, face shield and safety shoes with chemical resistance to prevent skin contact.

Respiratory protection – If necessary, use a respirator with organic vapour filters.

<b>Section 9: PHYSICAL AND CHEMICAL PROPERTIES</b>
--

<b>Appearance</b>	Clear slightly yellow liquid	<b>Odour</b>	Citrus
<b>Odour Threshold</b>	No data available	<b>pH</b>	No data available
<b>Freezing Point</b>	No data available	<b>Initial Boiling Point</b>	No data available
<b>Boiling Range</b>	No data available	<b>Flash point</b>	44°C
<b>Evaporation Rate</b>	No data available	<b>Flammability</b>	No data available
<b>Upper flammability limit</b>	No data available	<b>Lower flammability limit</b>	No data available
<b>Vapour Pressure</b>	No data available	<b>Vapour Density</b>	No data available
<b>Relative Density</b>	0.900	<b>Solubility</b>	Completely miscible with water
<b>Partition Coefficient: n-octanol/water</b>	No data available	<b>Autoignition temperature</b>	No data available
<b>Decomposition temperature</b>	No data available	<b>Viscosity</b>	Approx. 10 cPs

<b>Section 10: STABILITY AND REACTIVITY</b>
---

<b>Chemical Stability</b>	Stable under normal ambient storage conditions. May oxidise over time, in heat or direct sunlight.
<b>Conditions to avoid</b>	Avoid high temperatures (store below 30°C), direct sunlight, moisture and static discharges. Protect against physical damage.
<b>Incompatible materials</b>	Incompatible with oxidising agents, acids, bases, combustible materials and sources of ignition.
<b>Hazardous decomposition products</b>	In case of fire, may produce hazardous decomposition products such as carbon monoxide, carbon dioxide and smoke.
<b>Hazardous reactions</b>	Not known.

<b>Section 11: TOXICOLOGICAL INFORMATION</b>
--

<b>Acute toxicity</b>	No data available.
<b>Skin corrosion/ irritation</b>	Product causes irritation, pain and reddening on skin contact.
<b>Serious eye damage/ irritation</b>	Product causes irritation, pain and reddening on eye contact.
<b>Respiratory or skin sensitisation</b>	d-Limonene: Mouse local lymphnode assay indicates an EC3 level of 22%. No visual increase in irritancy was reported during the study.

<b>Germ Cell Mutagenicity</b>	No data available.
<b>Carcinogenicity</b>	No components of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
<b>Reproductive toxicity</b>	No data available.
<b>Specific Target Organ Toxicity – Single Exposure</b>	No data available.
<b>Specific Target Organ Toxicity – Repeated Exposure</b>	Inhalation of vapours or spray mist may cause respiratory irritation. The effects are transient and should dissipate upon removal from exposure.
<b>Aspiration Hazard</b>	Aspiration of this product into the lungs causes serious lung damage. Aspiration of significant quantities of this product may be fatal.

### Section 12: ECOLOGICAL INFORMATION

<b>Ecotoxicity</b>	No data available.
<b>Persistence and degradability</b>	No data available.
<b>Bioaccumulative potential</b>	No data available.
<b>Mobility in soil</b>	No data available.
<b>Other adverse effects</b>	No data available.

### Section 13: DISPOSAL CONSIDERATIONS

<b>Disposal method</b>	Disposal to sewer is normally recommended with copious amounts of water. Refer to State/Territory Land Waste Management Authorities if applicable. Containers are recyclable and can be disposed of by a licensed waste contractor. Containers can be disposed of to general waste or rinsed thoroughly and recycled.
<b>Special precautions</b>	Suitable for incineration by approved agent.

### Section 14: TRANSPORT INFORMATION

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code).

<b>UN Number</b>	1993
<b>UN Proper Shipping Name</b>	Flammable Liquid N.O.S (Dipentene)
<b>Class and subsidiary risk</b>	3
<b>Packing Group</b>	III
<b>Special precautions for user</b>	None known
<b>Hazchem Code</b>	3Y

### Section 15: REGULATORY INFORMATION

Poisons Schedule (SUSMP): Schedule 6 (Poison).

All ingredients are listed in the Australia Inventory of Chemical Substances (AICS).

HSNO Approval Code: HSR002528

This document has been produced in accordance with the requirements of the Globally Harmonised System of Classification and Labelling.

### Section 16: OTHER INFORMATION

**Date of preparation:** 24<sup>th</sup> March 2025

© This document remains property of Whiteley Corporation Pty Ltd.  
Alterations are not permitted without prior written authorisation from Whiteley Corporation Pty Ltd.